This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

COPY

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/774,147
Source: IFW0
Date Processed by STIC: 2/18/04

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) **INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,**
2) **TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY**

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4227
***Effective 12/13/03*: TELEPHONE: 571-272-2510; FAX: 571-273-0221**

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:
http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, **EFS Submission User Manual** - ePAVE)
2. **U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450**
3. **Hand Carry directly to (EFFECTIVE 12/01/03):**
   U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. **Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202**

Revised 10/08/03

IFWO

RAW SEQUENCE LISTING DATE: 02/18/2004
PATENT APPLICATION: US/10/774,147 TIME: 15:00:45

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\02182004\J774147.raw

```
     3 <110> APPLICANT: POSTECH Foundation
     4       POSCO
     5       RYU, Sung-Ho
     6       BAE, Yoe-Sik
     7       PARK, Eun-Young
     8       SUH, Pann-Ghill
    10 <120> TITLE OF INVENTION: LEUKOCYTE STIMULATING PEPTIDES
    12 <130> FILE REFERENCE: 10050-03USA
:--> 14 <140> CURRENT APPLICATION NUMBER: US/10/774,147
:--> 14 <141> CURRENT FILING DATE: 2004-02-06
    14 <150> PRIOR APPLICATION NUMBER: US 60/445,621
    15 <151> PRIOR FILING DATE: 2003-02-07
    17 <160> NUMBER OF SEQ ID NOS: 36
    19 <170> SOFTWARE: PatentIn version 3.2
    21 <210> SEQ ID NO: 1
    22 <211> LENGTH: 6
    23 <212> TYPE: PRT
    24 <213> ORGANISM: Artificial sequence
    26 <220> FEATURE:
    27 <223> OTHER INFORMATION: Hexapeptide
    30 <220> FEATURE:
    31 <221> NAME/KEY: MISC_FEATURE
    32 <222> LOCATION: (1)..(1)
    33 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg
    35 <220> FEATURE:
    36 <221> NAME/KEY: MISC_FEATURE
    37 <222> LOCATION: (3)..(3)
    38 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr
    40 <220> FEATURE:
    41 <221> NAME/KEY: MISC_FEATURE
    42 <222> LOCATION: (4)..(4)
    43 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr
    45 <220> FEATURE:
    46 <221> NAME/KEY: MISC_FEATURE
    47 <222> LOCATION: (5)..(5)
    48 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr
    50 <400> SEQUENCE: 1
--> 52 Xaa Lys Xaa Xaa Xaa Met
    53 1               5
    56 <210> SEQ ID NO: 2
    57 <211> LENGTH: 6
    58 <212> TYPE: PRT
    59 <213> ORGANISM: Artificial sequence
```

Does Not Comply
Corrected Diskette Needed
(pg. 1-5)

Invalid Response

RAW SEQUENCE LISTING DATE: 02/18/2004
PATENT APPLICATION: US/10/774,147 TIME: 15:00:45

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\02182004\J774147.raw

61 <220> FEATURE:
62 <223> OTHER INFORMATION: Hexapeptide — Invalid response
65 <220> FEATURE:
66 <221> NAME/KEY: misc_feature
67 <222> LOCATION: (4)..(6)
68 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
70 <400> SEQUENCE: 2
W--> 72 Lys Lys His Xaa Xaa Xaa
73 1 5
76 <210> SEQ ID NO: 3
77 <211> LENGTH: 6
78 <212> TYPE: PRT
79 <213> ORGANISM: Artificial sequence
81 <220> FEATURE:
82 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
85 <220> FEATURE:
86 <221> NAME/KEY: misc_feature
87 <222> LOCATION: (4)..(6)
88 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
90 <400> SEQUENCE: 3
W--> 92 Lys Lys Tyr Xaa Xaa Xaa
93 1 5
96 <210> SEQ ID NO: 4
97 <211> LENGTH: 6
98 <212> TYPE: PRT
99 <213> ORGANISM: Artificial sequence
101 <220> FEATURE:
102 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
105 <220> FEATURE:
106 <221> NAME/KEY: misc_feature
107 <222> LOCATION: (4)..(6)
108 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
110 <400> SEQUENCE: 4
W--> 112 Arg Lys Tyr Xaa Xaa Xaa
113 1 5
116 <210> SEQ ID NO: 5
117 <211> LENGTH: 6
118 <212> TYPE: PRT
119 <213> ORGANISM: Artificial sequence
121 <220> FEATURE:
122 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
125 <220> FEATURE:
126 <221> NAME/KEY: misc_feature
127 <222> LOCATION: (4)..(6)
128 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
130 <400> SEQUENCE: 5
--> 132 Met Lys Tyr Xaa Xaa Xaa
133 1 5
136 <210> SEQ ID NO: 6

RAW SEQUENCE LISTING DATE: 02/18/2004
PATENT APPLICATION: US/10/774,147 TIME: 15:00:45

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\02182004\J774147.raw

137 <211> LENGTH: 6
138 <212> TYPE: PRT
139 <213> ORGANISM: Artificial sequence
141 <220> FEATURE:
142 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
145 <220> FEATURE:
146 <221> NAME/KEY: misc_feature
147 <222> LOCATION: (1)..(3)
148 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
150 <400> SEQUENCE: 6
W--> 152 Xaa Xaa Xaa His Lys Met
153 1 5
156 <210> SEQ ID NO: 7
157 <211> LENGTH: 6
158 <212> TYPE: PRT
159 <213> ORGANISM: Artificial sequence
161 <220> FEATURE:
162 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
165 <220> FEATURE:
166 <221> NAME/KEY: misc_feature
167 <222> LOCATION: (1)..(3)
168 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
170 <400> SEQUENCE: 7
W--> 172 Xaa Xaa Xaa His Val Met
173 1 5
176 <210> SEQ ID NO: 8
177 <211> LENGTH: 6
178 <212> TYPE: PRT
179 <213> ORGANISM: Artificial sequence
181 <220> FEATURE:
182 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
185 <220> FEATURE:
186 <221> NAME/KEY: misc_feature
187 <222> LOCATION: (1)..(3)
188 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
190 <400> SEQUENCE: 8
W--> 192 Xaa Xaa Xaa Tyr Lys Met
193 1 5
196 <210> SEQ ID NO: 9
197 <211> LENGTH: 6
198 <212> TYPE: PRT
199 <213> ORGANISM: Artificial sequence
201 <220> FEATURE:
202 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
205 <220> FEATURE:
206 <221> NAME/KEY: misc_feature
207 <222> LOCATION: (1)..(3)
208 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
210 <400> SEQUENCE: 9

RAW SEQUENCE LISTING DATE: 02/18/2004
PATENT APPLICATION: US/10/774,147 TIME: 15:00:45

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\02182004\J774147.raw

W--> 212 Xaa Xaa Xaa Tyr Pro Met
213 1 5
216 <210> SEQ ID NO: 10
217 <211> LENGTH: 6
218 <212> TYPE: PRT
219 <213> ORGANISM: Artificial sequence
221 <220> FEATURE:
222 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
225 <220> FEATURE:
226 <221> NAME/KEY: misc_feature
227 <222> LOCATION: (1)..(3)
228 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
230 <400> SEQUENCE: 10
W--> 232 Xaa Xaa Xaa Tyr Val Met
233 1 5
236 <210> SEQ ID NO: 11
237 <211> LENGTH: 6
238 <212> TYPE: PRT
239 <213> ORGANISM: Artificial sequence
241 <220> FEATURE:
242 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
245 <220> FEATURE:
246 <221> NAME/KEY: misc_feature
247 <222> LOCATION: (1)..(3)
248 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
250 <400> SEQUENCE: 11
W--> 252 Xaa Xaa Xaa Tyr Tyr Met
253 1 5
256 <210> SEQ ID NO: 12
257 <211> LENGTH: 6
258 <212> TYPE: PRT
259 <213> ORGANISM: Artificial sequence
261 <220> FEATURE:
262 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
265 <220> FEATURE:
266 <221> NAME/KEY: Peptide
267 <222> LOCATION: (1)..(6)
268 <223> OTHER INFORMATION: P1
270 <400> SEQUENCE: 12
272 Lys Lys His His Lys Met
273 1 5
276 <210> SEQ ID NO: 13
277 <211> LENGTH: 6
278 <212> TYPE: PRT
279 <213> ORGANISM: Artificial sequence
281 <220> FEATURE:
282 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
285 <220> FEATURE:
286 <221> NAME/KEY: Peptide

RAW SEQUENCE LISTING DATE: 02/18/2004
PATENT APPLICATION: US/10/774,147 TIME: 15:00:45

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\02182004\J774147.raw

287 <222> LOCATION: (1)..(6)
288 <223> OTHER INFORMATION: P2
290 <400> SEQUENCE: 13
292 Lys Lys His His Val Met
293 1 5
296 <210> SEQ ID NO: 14
297 <211> LENGTH: 6
298 <212> TYPE: PRT
299 <213> ORGANISM: Artificial sequence
301 <220> FEATURE:
302 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
305 <220> FEATURE:
306 <221> NAME/KEY: Peptide
307 <222> LOCATION: (1)..(6)
308 <223> OTHER INFORMATION: Hexapeptide
310 <220> FEATURE:
311 <221> NAME/KEY: Peptide
312 <222> LOCATION: (1)..(6)
313 <223> OTHER INFORMATION: P3
315 <400> SEQUENCE: 14
317 Lys Lys His Tyr Lys Met
318 1 5
321 <210> SEQ ID NO: 15
322 <211> LENGTH: 6
323 <212> TYPE: PRT
324 <213> ORGANISM: Artificial sequence
326 <220> FEATURE:
327 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
330 <220> FEATURE:
331 <221> NAME/KEY: Peptide
332 <222> LOCATION: (1)..(6)
333 <223> OTHER INFORMATION: P4
335 <400> SEQUENCE: 15
337 Lys Lys His Tyr Pro Met
338 1 5
341 <210> SEQ ID NO: 16
342 <211> LENGTH: 6
343 <212> TYPE: PRT
344 <213> ORGANISM: Artificial sequence
346 <220> FEATURE:
347 <223> OTHER INFORMATION: Hexapeptide — Invalid Response
350 <220> FEATURE:
351 <221> NAME/KEY: Peptide
352 <222> LOCATION: (1)..(6)
353 <223> OTHER INFORMATION: P5
355 <400> SEQUENCE: 16
357 Lys Lys His Tyr Val Met
358 1 5
361 <210> SEQ ID NO: 17

The type of errors shown exist throughout the Sequence Listing. Please check subsequent sequences for similar errors.

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 02/18/2004
PATENT APPLICATION: US/10/774,147 TIME: 15:00:46

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\02182004\J774147.raw

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,3,4,5
Seq#:2; Xaa Pos. 4,5,6
Seq#:3; Xaa Pos. 4,5,6
Seq#:4; Xaa Pos. 4,5,6
Seq#:5; Xaa Pos. 4,5,6
Seq#:6; Xaa Pos. 1,2,3
Seq#:7; Xaa Pos. 1,2,3
Seq#:8; Xaa Pos. 1,2,3
Seq#:9; Xaa Pos. 1,2,3
Seq#:10; Xaa Pos. 1,2,3
Seq#:11; Xaa Pos. 1,2,3

VERIFICATION SUMMARY DATE: 02/18/2004
PATENT APPLICATION: US/10/774,147 TIME: 15:00:46

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\02182004\J774147.raw

L:14 M:270 C: Current Application Number differs, Replaced Current Application No
L:14 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:52 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:72 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:92 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:112 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:132 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:152 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:172 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:192 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:212 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:232 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:252 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0